AMENDMENTS TO THE CLAIMS

1. (Previously Presented) A method for mediating relaxation of an airway of an animal, said method comprising administering to said animal, an amount of a peptide effective for mediating relaxation of said airway, said peptide having a sequence comprising SLIGRL (SEQ ID NO:2) or a peptide analog thereof in which an amino acid is replaced with a non-natural amino acid, wherein said peptide is capable of activating an airway epithelium protease activated receptor-2 (PAR2) under conditions sufficient for activation of said PAR2 to occur, thereby mediating relaxation of said airway.

2. (Cancelled)

3. (Cancelled)

4. (Cancelled)

5. (Previously Presented) The method according to Claim 1 wherein the relaxation of the airway is caused by a disease condition selected from the group consisting of asthma, bronchitis, hayfever, alveolitis, ciliary dyskinesis and pulmonary inflammation.

6. (Previously presented)The method according to Claim 1 wherein the peptide comprises the sequence of SEQ ID NO.2.

7. (Previously presented)The method according to Claim 6 wherein the peptide is modified to permit entry across an epithelial and/or subcutaneous layer.

8. (Previously presented)The method according to Claim 7 wherein the peptide is fused to penetratin.

9. (Previously presented)The method according to Claim 7 wherein the peptide is fused to TAT.

Claims 10-19 (Cancelled)

20. (Previously Presented) A method of identifying an agent for treatment or prophylaxis of inflammation of an airway of an animal, comprising:

exposing PAR2 to the agent; and

measuring the ability of the agent to activate the PAR2, wherein the agent is identified as capable of being useful for said treatment or prophylaxis of inflammation of an airway of an animal if it does have the ability to activate PAR2; and

further testing the peptide for treatment or prophylaxis of inflammation of an airway of an animal if it is identified as being useful.

21. (Previously presented)The method of Claim 1, wherein said peptide incorporates a non-natural amino acid.

22. (Previously presented)The method of Claim 1, wherein said peptide incorporates a non-natural amino acid listed in the following table:

Non-conventional amino acid	Code	Non-conventional amino acid	Code
α-aminobutyric acid	Abu	L-N-methylalanine	Nmala
α-amino-α-methylbutyrate	Mgabu	L-N-methylarginine	Nmarg
aminocyclopropane-	Cpro	L-N-methylasparagine	Nmasn
carboxylate		L-N-methylaspartic acid	Nmasp
aminoisobutyric acid	Aib	L-N-methylcysteine	Nmcys
aminonorbornyl-	Norb	L-N-methylglutamine	Nmgln
carboxylate		L-N-methylglutamic acid	Nmglu
cyclohexylalanine	Chexa	L-N-methylhistidine	Nmhis
cyclopentylalanine	Cpen	L-N-methylisoleucine	Nmile
D-alanine	Dal	L-N-methylleucine	Nmleu
D-arginine	Darg	L-N-methyllysine	Nmlys
D-aspartic acid	Dasp	L-N-methylmethionine	Nmmet
D-cysteine	Dcys	L-N-methylnorleucine	Nmnle
D-glutamine	Dgln	L-N-methyinorvaline	Nmnva
D-glutamic acid	Dglu	L-N-methylornithine	Nmorn
D-histidine	Dhis	L-N-methylphenylalanine	Nmphe
D-isoleucine	Dile	L-N-methylproline	Nmpro
D-leucine	Dleu	L-N-methylserine	Nmser
D-lysine	Dlys	L-N-methylthreonine	Nmthr
D-methionine	Dmet	L-N-methyltryptophan	Nmtrp
D-ornithine	Dorn	L-N-methyltyrosine	Nmtyr
D-phenylalanine	Dphe	L-N-methylvaline	Nmval
D-proline	Dpro	L-N-methylethylglycine	Nmetg

Non-conventional amino acid	Code	Non-conventional amino acid	Code
D-serine	Dser	L-N-methyl-t-butylglycine	Nmtbug
D-threonine	Dthr	L-norleucine	Nle
D-tryptophan	Dtrp	L-norvaline	Nva
D-tyrosine	Dtyr	α-methyl-aminoisobutyrate	Maib
D-valine	Dval	α-methyl-γ-aminobutyrate	Mgabu
D-α-methylalanine	Dmala	α-methylcyclohexylalanine	Mchexa
D-α-methylarginine	Dmarg	α-methylcylcopentylalanine	Mcpen
D-α-methylasparagine	Dmasn	α-methyl-α-napthylalanine	Manap
D-α-methylaspartate	Dmasp	α-methylpenicillamine	Mpen
D-α-methylcysteine	Dmcys	N-(4-aminobutyl)glycine	Nglu
D-α-methylglutamine	Dmgln	N-(2-aminoethyl)glycine	Naeg
D-α-methylhistidine	Dmhis	N-(3-aminopropyl)glycine	Norn
D-α-methylisoleucine	Dmile	N-amino-α-methylbutyrate	Nmaabu
D-α-methylleucine	Dmleu	α-napthylalanine	Anap
D-α-methyllysine	Dmlys	N-benzylglycine	Nphe
D-α-methylmethionine	Dmmet	N-(2-carbamylethyl)glycine	Ngln
D-α-methylornithine	Dmorn	N-(carbamylmethyl)glycine	Nasn
D-α-methylphenylaianine	Dmphe	N-(2-carboxyethyl)glycine	Nglu
D-α-methylproline	Dmpro	N-(carboxymethyl)glycine	Nasp
D-α-methylserine	Dmser	N-cyclobutylglycine	Ncbut
D-α-methylthreonine	Dmthr	N-cycloheptylglycine	Nchep
D-α-methyltryptophan	Dmtrp	N-cyclohexylglycine	Nchex
D-α-methyltyrosine	Dmty	N-cyclodecylglycine	Ncdec
D-α-methylvaline	Dmval	N-cylcododecylglycine	Ncdod
D-N-methylalanine	Dnmala	N-cyclooctylglycine	Ncoct
D-N-methylarginine	Dnmarg	N-cyclopropylglycine	Ncpro
D-N-methylasparagine	Dnmasn	N-cycloundecylglycine	Ncund
D-N-methylaspartate	Dnmasp	N-(2,2-diphenylethyl)glycine	Nbhm

Non-conventional amino acid	Code	Non-conventional amino acid	Code
D-N-methylcysteine	Dnmcys	N-(3,3-diphenylpropyl)glycine	Nbhe
D-N-methylglutamine	Dnmgln	N-(3-guanidinopropyl)glycine	Narg
D-N-methylglutamate	Dnmglu	N-(1 -hydroxyethyl)glycine	Nthr
D-N-methylhistidine	Dnmhis	N-(hydroxyethyl))glycine	Nser
D-N-methylisoleucine	Dnmile	N-(imidazolylethyl))glycine	Nhis
D-N-methylleucine	Dnmleu	N-(3-indolylyethyl)glycine	Nhtrp
D-N-methyllysine	Dnmlys	N-methyl-γ-aminobutyrate	Nmgabu
N-methylcyclohexylalanine	Nmchexa	D-N-methylmethionine	Dnmmet
D-N-methylornithine	Dnmorn	N-methylcyclopentylalanine	Nmcpen
N-methylglycine	Nala	D-N-methylphenylaianine	Dnmphe
N-methylaminoisobutyrate	Nmaib	D-N-methylproline	Dnmpro
N-(1 -methylpropyl)glycine	Nile	D-N-methylserine	Dnmser
N-(2-methylpropyl)glycine	Nleu	D-N-methylthreonine	Dnmthr
D-N-methyltryptophan	Dnmtrp	N-(1 -methylethyl)glycine	Nval
D-N-methyltyrosine	Dnmtyr	N-methyla-napthylaianine	Nmanap
D-N-methylvaline	Dnmval	N-methylpenicillamine	Nmpen
γ-aminobutyric acid	Gabu	N-(ρ-hydroxyphenyl)glycine	Nhtyr
L-*t*-butylglycine	Tbug	N-(thiomethyl)glycine	Ncys
L-ethylglycine	Etg	penicillamine	Pen
L-homophenylalanine	Hphe	L-α-methylalanine	Mala
L-α-methylarginine	Marg	L-α-methylasparagine	Masn
L-α-methylaspartate	Masp	L-α-methyl-t-butylglycine	Mtbug
L-α-methylcysteine	Mcys	L-methylethylglycine	Metg
L-α-methylglutamine	Mgln	L-α-methylglutamate	Mglu
L-α-methylhistidine	Mhis	L-α-methylhomophenylaianine	Mhphe
L-α-methylisoleucine	Mile	N-(2-methylthioethyl)glycine	Nmet
L-α-methylleucine	Mleu	L-α-methyllysine	Mlys
L-α-methylmethionine	Mmet	L-α-methylnorleucine	Mnle

Non-conventional amino acid	Code	Non-conventional amino acid	Code
L-α-methyinorvaline	Mnva	L-α-methylornithine	Morn
L-α-methylphenylalanine	Mphe	L-α-methylproline	Mpro
L-a-methylserine	Mser	L-α-methylthreonine	Mthr
L-α-methyltryptophan	Mtrp	L-a-methyltyrosine	Mtyr
L-α-methylvaline	Mval	L-N-methylhomophenylaianine	Nmhphe
N-(N-(2,2-diphenylethyl) carbamyimethyl)glycine	Nnbhm	N-(N-(3,3-diphenylpropyl) carbamylmethyl)glycine	Nnbhe
1 -carboxy-1 -(2,2-diphenyl-ethylamino)cyclopropane	Nmbc		

23. (Cancelled)

24. (Previously Presented) A method for treatment of inflammation of an airway of an animal, said method comprising administering to said animal, an amount of a peptide effective for treatment of inflammation, said peptide having a sequence comprising SLIGRL (SEQ ID NO:2) or a peptide analog thereof in which an amino acid is replaced with a non-natural amino acid, wherein said peptide is capable of activating an airway epithelium protease activated receptor-2 (PAR2) under conditions sufficient for activation of said PAR2 to occur, thereby providing said treatment of inflammation.

25. (Cancelled)

26. (Previously presented) The method according to Claim 24 wherein the inflammation of the airway is caused by a disease condition selected from the group consisting of asthma, bronchitis, hayfever, alveolitis, ciliary dyskinesis and pulmonary inflammation.

27. (Previously presented)The method according to Claim 24 wherein the peptide comprises the sequence of SEQ ID NO.2.

28. (Previously presented)The method according to Claim 27 wherein the peptide is modified to permit entry across an epithelial and/or subcutaneous layer.

29. (Previously presented)The method according to Claim 27 wherein the peptide is fused to penetratin.

30. (Previously presented)The method according to Claim 27 wherein the peptide is fused to TAT.

31. (Cancelled)

32. (Previously presented)The method of Claim 24, wherein said peptide incorporates a non-natural amino acid listed in the following table:

Non-conventional amino acid	Code	Non-conventional amino acid	Code
α-aminobutyric acid	Abu	L-N-methylalanine	Nmala
α-amino-α-methylbutyrate	Mgabu	L-N-methylarginine	Nmarg
aminocyclopropane-	Cpro	L-N-methylasparagine	Nmasn
carboxylate		L-N-methylaspartic acid	Nmasp
aminoisobutyric acid	Aib	L-N-methylcysteine	Nmcys
aminonorbornyl-	Norb	L-N-methylglutamine	Nmgln
carboxylate		L-N-methylglutamic acid	Nmglu
cyclohexylalanine	Chexa	L-N-methylhistidine	Nmhis
cyclopentylalanine	Cpen	L-N-methylisoleucine	Nmile
D-alanine	Dal	L-N-methylleucine	Nmleu
D-arginine	Darg	L-N-methyllysine	Nmlys
D-aspartic acid	Dasp	L-N-methylmethionine	Nmmet
D-cysteine	Dcys	L-N-methylnorleucine	Nmnle
D-glutamine	Dgln	L-N-methyinorvaline	Nmnva
D-glutamic acid	Dglu	L-N-methylornithine	Nmorn
D-histidine	Dhis	L-N-methylphenylalanine	Nmphe
D-isoleucine	Dile	L-N-methylproline	Nmpro
D-leucine	Dleu	L-N-methylserine	Nmser
D-lysine	Dlys	L-N-methylthreonine	Nmthr
D-methionine	Dmet	L-N-methyltryptophan	Nmtrp
D-ornithine	Dorn	L-N-methyltyrosine	Nmtyr
D-phenylalanine	Dphe	L-N-methylvaline	Nmval
D-proline	Dpro	L-N-methylethylglycine	Nmetg
D-serine	Dser	L-N-methyl-t-butylglycine	Nmtbug

Non-conventional amino acid	Code	Non-conventional amino acid	Code
D-threonine	Dthr	L-norleucine	Nle
D-tryptophan	Dtrp	L-norvaline	Nva
D-tyrosine	Dtyr	α-methyl-aminoisobutyrate	Maib
D-valine	Dval	α-methyl-γ-aminobutyrate	Mgabu
D-α-methylalanine	Dmala	α-methylcyclohexylalanine	Mchexa
D-α-methylarginine	Dmarg	α-methylcylcopentylalanine	Mcpen
D-α-methylasparagine	Dmasn	α-methyl-α-napthylalanine	Manap
D-α-methylaspartate	Dmasp	α-methylpenicillamine	Mpen
D-α-methylcysteine	Dmcys	N-(4-aminobutyl)glycine	Nglu
D-α-methylglutamine	Dmgln	N-(2-aminoethyl)glycine	Naeg
D-α-methylhistidine	Dmhis	N-(3-aminopropyl)glycine	Norn
D-α-methylisoleucine	Dmile	N-amino-α-methylbutyrate	Nmaabu
D-α-methylleucine	Dmleu	α-napthylalanine	Anap
D-α-methyllysine	Dmlys	N-benzylglycine	Nphe
D-α-methylmethionine	Dmmet	N-(2-carbamylethyl)glycine	Ngln
D-α-methylornithine	Dmorn	N-(carbamylmethyl)glycine	Nasn
D-α-methylphenylaianine	Dmphe	N-(2-carboxyethyl)glycine	Nglu
D-α-methylproline	Dmpro	N-(carboxymethyl)glycine	Nasp
D-α-methylserine	Dmser	N-cyclobutylglycine	Ncbut
D-α-methylthreonine	Dmthr	N-cycloheptylglycine	Nchep
D-α-methyltryptophan	Dmtrp	N-cyclohexylglycine	Nchex
D-α-methyltyrosine	Dmty	N-cyclodecylglycine	Ncdec
D-α-methylvaline	Dmval	N-cylcododecylglycine	Ncdod
D-N-methylalanine	Dnmala	N-cyclooctylglycine	Ncoct
D-N-methylarginine	Dnmarg	N-cyclopropylglycine	Ncpro
D-N-methylasparagine	Dnmasn	N-cycloundecylglycine	Ncund
D-N-methylaspartate	Dnmasp	N-(2,2-diphenylethyl)glycine	Nbhm
D-N-methylcysteine	Dnmcys	N-(3,3-diphenylpropyl)glycine	Nbhe

Non-conventional amino acid	Code	Non-conventional amino acid	Code
D-N-methylglutamine	Dnmgln	N-(3-guanidinopropyl)glycine	Narg
D-N-methylglutamate	Dnmglu	N-(1 -hydroxyethyl)glycine	Nthr
D-N-methylhistidine	Dnmhis	N-(hydroxyethyl))glycine	Nser
D-N-methylisoleucine	Dnmile	N-(imidazolylethyl))glycine	Nhis
D-N-methylleucine	Dnmleu	N-(3-indolylyethyl)glycine	Nhtrp
D-N-methyllysine	Dnmlys	N-methyl-γ-aminobutyrate	Nmgabu
N-methylcyclohexylalanine	Nmchexa	D-N-methylmethionine	Dnmmet
D-N-methylornithine	Dnmorn	N-methylcyclopentylalanine	Nmcpen
N-methylglycine	Nala	D-N-methylphenylaianine	Dnmphe
N-methylaminoisobutyrate	Nmaib	D-N-methylproline	Dnmpro
N-(1 -methylpropyl)glycine	Nile	D-N-methylserine	Dnmser
N-(2-methylpropyl)glycine	Nleu	D-N-methylthreonine	Dnmthr
D-N-methyltryptophan	Dnmtrp	N-(1 -methylethyl)glycine	Nval
D-N-methyltyrosine	Dnmtyr	N-methyla-napthylaianine	Nmanap
D-N-methylvaline	Dnmval	N-methylpenicillamine	Nmpen
γ-aminobutyric acid	Gabu	N-(ρ-hydroxyphenyl)glycine	Nhtyr
L-*t*-butylglycine	Tbug	N-(thiomethyl)glycine	Ncys
L-ethylglycine	Etg	penicillamine	Pen
L-homophenylalanine	Hphe	L-α-methylalanine	Mala
L-α-methylarginine	Marg	L-α-methylasparagine	Masn
L-α-methylaspartate	Masp	L-α-methyl-t-butylglycine	Mtbug
L-α-methylcysteine	Mcys	L-methylethylglycine	Metg
L-α-methylglutamine	Mgln	L-α-methylglutamate	Mglu
L-α-methylhistidine	Mhis	L-α-methylhomophenylaianine	Mhphe
L-α-methylisoleucine	Mile	N-(2-methylthioethyl)glycine	Nmet
L-α-methylleucine	Mleu	L-α-methyllysine	Mlys
L-α-methylmethionine	Mmet	L-α-methylnorleucine	Mnle
L-α-methyinorvaline	Mnva	L-α-methylornithine	Morn

Non-conventional amino acid	Code	Non-conventional amino acid	Code
L-α-methylphenylalanine	Mphe	L-α-methylproline	Mpro
L-a-methylserine	Mser	L-α-methylthreonine	Mthr
L-α-methyltryptophan	Mtrp	L-a-methyltyrosine	Mtyr
L-α-methylvaline	Mval	L-N-methylhomophenylaianine	Nmhphe
N-(N-(2,2-diphenylethyl) carbamyimethyl)glycine	Nnbhm	N-(N-(3,3-diphenylpropyl) carbamylmethyl)glycine	Nnbhe
1 -carboxy-1 -(2,2-diphenyl-ethylamino)cyclopropane	Nmbc		